

**Flag Display Guidelines for the
Knights Bridge Estates Homeowners Association**

STATE OF TEXAS §
 §
COUNTY OF COLLIN §

Pursuant to the Bylaws of the Knights Bridge Estates Homeowners Association and the Declaration of Protective Covenants, the Directors of the Knights Bridge Estates Homeowners Association, a Texas non-profit corporation (referred to as "Association"), adopt the following resolution:

RE: Architectural Guidelines for Flag Displays

WHEREAS:

1. The Texas Property Code Section 202.011 precludes associations from adopting or enforcing a prohibition or restriction on certain flag displays; and
2. Pursuant to Section 202.011 of the Texas Property Code, the Board of Directors is permitted to adopt certain guidelines on flag displays.

BE IT RESOLVED THAT:

- 1.) In order to comply with Section 202.011 of the Texas Property Code, the Board of Directors of the Association adopts the following guidelines for flag displays:
 - a. United States Flags must be displayed in accordance with 4 U.S.C. Sections 5-10.
 - b. The Texas Flag must be displayed in accordance with Chapter 3100 of the Texas Government Code.
 - c. A flagpole, whether attached to a dwelling or freestanding, must be constructed of permanent, long-lasting materials with a finish appropriate to the materials used in the construction of the flagpole and harmonious with the dwelling.
 - d. The flag display must conform to all setbacks, easements, and zoning ordinances.
 - e. Flag poles may be installed in the front yard with the approval of the Architectural Control Committee so long as there is not less than a 15' setback.
 - f. Flags and flagpoles must be maintained in good condition; flags and poles that are deteriorating or represent an unsafe condition must be repaired, replaced or removed.
 - g. Flagpoles are limited to one per lot, not to exceed 20 feet in height.
 - h. Flag size is limited to 3' x 5'.
 - i. An owner can only place a flagpole or flag on their own property with the approval of the Architectural Control Committee and no other property.
 - j. You must abate any noise that is caused by the external halyard of a flagpole.
- 2.) The American Flag, Texas Flag or flag from one of the United States armed services may be flown from wall mounted poles or ground mounted flagpoles. The installation of all flagpoles must be approved by the committee for height and location. The location and intensity of lights used to illuminate a displayed flag must also be approved by the Architectural Control Committee.
- 3.) In the event of any conflict between these provisions and any flag display restrictions contained in any dedicatory instruments of the Association, including design guidelines, policies and the Declaration, this Flag Display Policy controls.

EFFECTIVE DATE: December 1, 2013

Authorized Board Member Signature: *James M. Coon* Date: 1-29-14